

BSD 00, 000, 000 0000

Abstract

00000000 00000000 0000 "00000000 00000000" 0000 000 00000000 00 0000 0000 0000 000000 00000000'0
00000000 000000000 00000000 0000 0000000000 000000000 00000000 00000000 00000000 0000 00 00000000 00000000
000000000000 0000 000000 00000000 00.0% 00000000000 00000000 0000 00 0000000000 00 00.0% 00000000000 00000000
00 BSD 000000000 00000000 0000000000; 0000000000 00000000 0000000000000000 0000000, 00000, [Yahoo!](#) BSD 00000000
00000000 0000 0000000 0000000000 FTP 00000000 [ftp.cdrom.com](#) BSD 00000000 0000 0000000000 000000 0.0
000000000 0000 00000 0000000 0000 00000000 BSD'0 000000 00 00000000 0000, 0000 0000 00000000 0000 BSD 0000
0000000000 00000000 00000 00000000

BSD'0 000000000 00000000 000000 00 0000 000000 0000 ? 00 0000000000 0000 00000 0000 00000 00000000000000 00 000000
000000000000

00 0000000000 BSD 0 00000000000 00 0000000000000000 000000 00000000 0000 00000

Table of Contents

1. BSD 00 ?	1
2. 000 0000000!!! 0000 0000 00 ?	2
3. BSD 000 000000000 00 ?	3
4. BSD 0000 0000000000	3

1. BSD 00 ?

BSD 0000 00 *Berkley Software Distribution* 0 00000000000 BSD 0000 0000000000000000 000000000000000,
00000000 0000 0000000000 00000000000 0000000 0000 AT&T'0 000000000000 00000000 0000000000 0000 00000000
0000 00 0000000000 0000 000000000 4.4BSD-Lite 0000 00000000 00 0000000000 00000000 0000 0000 00000000
0000000000 0000000000 0000 00000000 00 00000000000000 0000 00000 0000000000 0000000000 00000000
0000, 0000 000000 00000000000000 00 00000 (GNU) 00000000000 0000000000000000 0000 BSD 0000000000 0000000000
000000000 00 0

BSD 00000000

0000 000000000 0000000000 000000 0000 0 000000 000000 0000 0000 00000000 0000000 000000 0000000000 00000
000000 00000000 000000000000 00000000000 00000

00000000 00000000 00, 00000000000 000000000 00000 00000 000000000000 0000000, 00000000 BSD 00000000000 00000000
00000000 0000 00000 000000000000 000000 000000000000000 0000 0000000000 000000000000 0000

C 0000000000

0000 00 0000000000 00000000000 API 0000000000 0000 0000000000

BSD C 000000000000 0000000000 0000000000 0000000000 0000, 00000 (GNU) 000000000000 0000 00000 0000

0000000 00000000 00000000

000000000000 000, 0000 00000000, 0000000000, 00000000 00000000 000 0000 00000000 00000000 0000 000000
GNU 000000000 0000, 000 00 000

X WINDOW

000 0000 000000000000 0000000000 00000000 0000000 (GUI)0

00000000 BSD'00 X WINDOW 00000000 000 000 000 XFree86 0000 0000000000 000000 0000 000000000000 0000000

2. 000 00000000!!! 00000 00000 00 ?

BSD 00000000 000000000000 000 00000000 000000 000 00000 0000000 000000 AT&T'0 000000000000 00000000
00000000 00000000 000 00 0000 000000 000000 `UNIX System V'0 000000000000 00000000 00000 0000 000000000000, 000000
000 AT&T 000 000000 000000000000 00000 000000000000 0000000 0000000000 000 0000000

000 000000 00 AT&T 00000000 000 000000000000 00000000 000 000000000000 000 0000000 000000 BSD'000 00000000 000 000
000 0000000 000000000000 AT&T 000000 00000000000 0000000000000000000, 00000000000000 000000000000
00000000 00000000 00000000 000000000 00000000 000000 000000 CSRG 000000 000000000000 000 000000 0000
000 00000000000000 000 00000 00Berkley Software Distribution 00 BSD0

00000 0000000 BSD'00 0000 000000 000000000 0000000 0000000 0000000; 00000 0 00000000 000000000 00 0000 Defence
Advanced Research Agency (DARPA) 0 0000 CSRG'0 0000 00000000 0000000000 000 00 00000000 0000 CSRG'0 000
DARPA'0 0000000000 00000000 ARPANET 00000000 0000 00000000 00000000 0000 00 000000000000 000 000 00
0000000000 0000000000 000 0000000000 000 000 0000 TCP/IP0 TCP/IP 000 00000000000 0000000000 00000000
0000000000000 0000 0000 00000000000000 000000000 00000000 00000000 0000000 00 BSD'00 000000000000 00000000 0000000, 00
000 4.2 BSD'0 000; 000 0000 000000 00000

0000 0000 000 0000 0000 0000000000000 000000000 000 0000 0000 0000000 0000000 00000000 0000000 0000 00 000
00000000000 000000 0000000000000 0000 0000000000 00000 0000 00000 000 000 00000000000000 0000000000
000000000 000000 4.2 BSD'0 000 0000000 000 SunOS 0000 0000 0000 AT&T 000000 000000000000 000000000000
0000000 0000 0000000 000, 000 0000 0000000 System III 000 000 00000000 00000 System V 000000000 0000 00000
System V'0 000 000000000000 000 000 00, 000 00000000 0000000000 BSD'0 00000000 0000000000000 0000000 00
000000 000000000000 000 00000000, csh 000 000 00 VI 0000000 BSD 0000 0000 00 0000000000000000 0000000 000
00 Berkeley Extensions0

BSD'0 00000000 0000 AT&T'0 0000000000 000000 000 00000000 000000 000000000000 00000000 000 0000 00000 0000
0000 000 00 CSRG'0 000000000000 000000 000 000 0000000000 BSD 0000000000000 0000 000000 00000000 0 00000000
00000000 0000 000000 AT&T'0 0000000000000 00000000 000 0000 00000000000 00000000 000 00000000 000000 0000
00000000 00, BSD'0 000000 00000000 000 000000000000 0000000 0000000000000 000 0, 00 0000 NET/2 0000
0000000, 000000000 00000000 0000000000 00 0000000 000000000000 0000 Net/2 000 0000000000000000 00000000
00000000 000 00, Net/2'0 00000000 0000 000000 00% 000 000 0000 00000000 CSRG'0 0000 000000 00000000 00
000000000; 00 00000000 00000000 0000 000 00000 000 0000 00 000000 00000 386BSD 0000 0000000 000000 000 000
CSRG'0 000000000 000000000000 0000 000000 Berkley Software Design Inc 0000 0000 0000000000 000 0000 000
0000000 Net/2'0 000000000000 000 0000000 000 BSD/386 000000 0000 0000000000 00000000000 0000 00000000 0000000
000000 00 0000000000 00000000000 000 000000000 000 000 BSD/OS 000 000

0000000000 000000000 000000000 386BSD 0000 000000000 000000000 000000000 0000 00000 00 0000000000 0000 0000
00 000 000 000 000 NetBSD 0 FreeBSD 0000 000 0000 0000000000 000000000 000000000000 000000 0000 00000

BSD'의 주요 구성 요소와 관련된 정보를 제공하는 데 도움이 됩니다.

4.2. BSD 프로젝트의 구조

BSD 프로젝트는 여러 하위 프로젝트로 구성되어 있으며, 각 프로젝트는 CVS를 사용하여 소스 코드를 관리합니다. BSD 프로젝트의 구조는 다음과 같습니다.

BSD 프로젝트의 구조는 다음과 같습니다. 각 프로젝트는 CVS를 사용하여 소스 코드를 관리하며, 프로젝트 간의 의존성은 다음과 같습니다.

각 프로젝트는 BSD 프로젝트의 구조에 따라 구성되며, 프로젝트 간의 의존성은 다음과 같습니다.

프로젝트

BSD 프로젝트는 여러 하위 프로젝트로 구성되어 있으며, 각 프로젝트는 CVS를 사용하여 소스 코드를 관리합니다.

각 프로젝트는 BSD 프로젝트의 구조에 따라 구성되며, 프로젝트 간의 의존성은 다음과 같습니다. (Principal Architect) 프로젝트는 BSD 프로젝트의 구조에 따라 구성되며, 프로젝트 간의 의존성은 다음과 같습니다.

Core Team 프로젝트

FreeBSD 및 NetBSD 프로젝트는 BSD 프로젝트의 구조에 따라 구성되며, 프로젝트 간의 의존성은 다음과 같습니다.

BSD 프로젝트의 구조는 다음과 같습니다.

1. 프로젝트는 BSD 프로젝트의 구조에 따라 구성되며, 프로젝트 간의 의존성은 다음과 같습니다. (Chief Architect) 프로젝트는 BSD 프로젝트의 구조에 따라 구성되며, 프로젝트 간의 의존성은 다음과 같습니다.
2. BSD 프로젝트는 BSD 프로젝트의 구조에 따라 구성되며, 프로젝트 간의 의존성은 다음과 같습니다.
3. 프로젝트는 BSD 프로젝트의 구조에 따라 구성되며, 프로젝트 간의 의존성은 다음과 같습니다. BSD 프로젝트는 BSD 프로젝트의 구조에 따라 구성되며, 프로젝트 간의 의존성은 다음과 같습니다.

4. 通常情況下，CVS 是 BSD 的代碼庫。但對於某些 BSD 分支，CVS 可能不是唯一的代碼庫。例如，FreeBSD 的代碼庫是 CVS，而 NetBSD 的代碼庫是 Subversion。

通常情況下，BSD 的代碼庫是 CVS。但對於某些 BSD 分支，CVS 可能不是唯一的代碼庫。例如，FreeBSD 的代碼庫是 CVS，而 NetBSD 的代碼庫是 Subversion。

1. 通常情況下，CVS 是 BSD 的代碼庫。但對於某些 BSD 分支，CVS 可能不是唯一的代碼庫。例如，FreeBSD 的代碼庫是 CVS，而 NetBSD 的代碼庫是 Subversion。
2. 通常情況下，CVS 是 BSD 的代碼庫。但對於某些 BSD 分支，CVS 可能不是唯一的代碼庫。例如，FreeBSD 的代碼庫是 CVS，而 NetBSD 的代碼庫是 Subversion。
3. 通常情況下，CVS 是 BSD 的代碼庫。但對於某些 BSD 分支，CVS 可能不是唯一的代碼庫。例如，FreeBSD 的代碼庫是 CVS，而 NetBSD 的代碼庫是 Subversion。

4.3. BSD 的代碼庫

通常情況下，BSD 的代碼庫是 CVS。但對於某些 BSD 分支，CVS 可能不是唯一的代碼庫。例如，FreeBSD 的代碼庫是 CVS，而 NetBSD 的代碼庫是 Subversion。

通常情況下，BSD 的代碼庫是 CVS。但對於某些 BSD 分支，CVS 可能不是唯一的代碼庫。例如，FreeBSD 的代碼庫是 CVS，而 NetBSD 的代碼庫是 Subversion。

- FreeBSD 的代碼庫是 CVS。但對於某些 BSD 分支，CVS 可能不是唯一的代碼庫。例如，FreeBSD 的代碼庫是 CVS，而 NetBSD 的代碼庫是 Subversion。
- NetBSD 的代碼庫是 Subversion。但對於某些 BSD 分支，CVS 可能不是唯一的代碼庫。例如，FreeBSD 的代碼庫是 CVS，而 NetBSD 的代碼庫是 Subversion。
- OpenBSD 的代碼庫是 Subversion。但對於某些 BSD 分支，CVS 可能不是唯一的代碼庫。例如，FreeBSD 的代碼庫是 CVS，而 NetBSD 的代碼庫是 Subversion。

BSD license and other licenses

BSD license and other licenses are used in BSD/OS and Mac OS X

- 4.4 BSD license and other licenses are used in BSD/OS and Mac OS X, and FreeBSD's BSD/OS license is also used
- BSD license and other licenses are used in Mac OS X and FreeBSD's BSD license is also used

4.4. BSD and GNU licenses

BSD license and GNU General Public License (GPL) are used in BSD/OS and Mac OS X. BSD license is a permissive license, while GPL is a copyleft license. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from GPL-licensed code must also be licensed under GPL.

4.5. BSD license and other licenses

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are copyleft licenses. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from GPL-licensed code must also be licensed under GPL.

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are copyleft licenses. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from GPL-licensed code must also be licensed under GPL.

4.6. BSD license and other licenses

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are copyleft licenses. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from GPL-licensed code must also be licensed under GPL.

BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are copyleft licenses. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from GPL-licensed code must also be licensed under GPL.

- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are copyleft licenses. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from GPL-licensed code must also be licensed under GPL.
- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are copyleft licenses. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from GPL-licensed code must also be licensed under GPL.
- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are copyleft licenses. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from GPL-licensed code must also be licensed under GPL.
- BSD license and other licenses are used in BSD/OS and Mac OS X. BSD license is a permissive license, while other licenses like GPL are copyleft licenses. BSD license allows for the creation of proprietary software, while GPL requires that any software derived from GPL-licensed code must also be licensed under GPL.

- 00000000000 00000000 BSD'00 0000000 000000 0000 00000000 000000 0000 00 0000 0000000000 0000000000 0000000000 00000000 00000000 BSD'0 00000000000 00000000 00000000000 0000000 0000000

4.7. BSD 000000000000 000000 0 0000000000000

BSDi 00000000 BSD/OS 00000000000 00000 00000 00000000 0000000000 00000 FreeBSD 0000000000 00000 00000000 0000000000

00000000 FreeBSD, NetBSD 0 OpenBSD'0 00000000000 0000000000 000000 0000000 00000 0000000000000 0000000000 00000000000 00000 00000 0000000 00000